AUTHOR INDEX, VOLUME 4

Abe, H., Imai, K., and Matsumoto, M.: Crystalline poly(alkyl methacrylates), 861

–, –, and –: Polymerization of methyl methacrylate with homogeneous aluminum alkyl–titanium alkoxide catalyst systems, 589

Akiyama, M., Iwakura, Y., Shiraishi, S., and Imai, Y.: Poly-p-phenylene-1,2,4-oxadiazole from p-cyanobenzonitrile oxide by a solid-state cycloaddation polymerization, 305

Allou, A. L., Jr.: see Mandelkern, L.

Amagi, Y.: see Murayama, N.

Anderson, B. C.: Preparation of polyperfluorothioisobutyraldehyde, 283

Anzuino, G., Costantino, L., Gallo, R., and Vitagliano, V.: Electrophoretic separation of conventional and isotactic poly(methacrylic acid), 459

Aoyagi, T.: see Tani, H.

Araki, T.: see Tani, H.

Asahara, T.: see Ogata, N.

–, and Yoda, N.: Salt effect in the base-catalyzed polymerization of p-vinylbenzamide, 921

Aso, C., Kunitake, T., Ito, K., and Ishimoto, Y.: Cationic polymerization of cyclopentadiene. Determination of the polymer structure and its correlation with Friedel-Crafts catalysts, 701

–, and Miura, M.: Polymerization of malealdehyde, 171

Awaya, H.: The form of crystalline isotactic polypropylene, 127

Ayscough, P. B., and Munari, S.: The room temperature ESR spectrum of irradiated polypropylene: A reinterpretation, 503

Azuma, K.: see Sumitomo, H.

Baán, A.: see Czájlik, I.

Baer, E.: see Kardos, J. L.

Baijal, M. D.: see Blanchard, L. P.

Baldwin, M. G. : see Johnson, K. E.

Ball, L. E.: see Ritchey, W. M.

Bamba, Y.: see Yoda, N.

Barrales-Rienda, J. M., and Pepper, D. C.: Intrinsic viscosities and dimensions of poly(phenylene oxide), 939

Barton, J. M.: Kinetics of free-radical cyclopolymerization of 1,4-dienes, 513

Bastien, I. J., Ford, R. W., and Mak, H. D.: Melting points of some polyethylene resins, 147

Bedford, M. A.: see Stille, J. K.

Belluš, D., Hrdlovič, P., and Mañásek, Z.: Photoinitiated rearrangements in poly[2,2-propanebis(4-phenyl carbonate)], 1

Bender, H. S.: Butadiene–vinyl ester copolymerizations, 895

Benoit, H.: see Dondos, A.

Berger, G., Levy, M., and Vofsi, D.: Mutual termination of anionic and cationic "living" polymers, 183

Berry, G. C.: The molecular-weight and temperature dependence of some dilute-solution properties of linear polymers, 161

Bevilacqua, E. M.: Oxidation stability of low-sulfur natural rubber vulcanizates, 905

–: Scission efficiency in natural rubber oxidation, 27

Bevington, J. C., and Sinatti, G.: Experiments with ^{3}H-benzoyl

peroxide, 7
Binder, J. L.: Cyclic structures in diolefin polymers, 19
Black, W. B.: see Preston, J.
Blanchard, L. P., and Baijal, M. D.: On the determination of molecular weights of polypropylene glycols by hydroxyl endgroup analysis, 837
Blumberg, A. A., and Wyatt, J.: Poly(ethylene oxide)–mercuric halide complexes, 653
Blundell, D. J., Keller, A., and Kovacs, A. J.: A new self-nucleation phenomenon and its application to the growing of polymer crystals from solution, 481
–, –, Ward, I. M., and Grant, I. J.: Examination of degraded polyethylene single crystals by gel permeation chromatography, 781
Bohdanecky, M.: see Quadrat, O.
Boor, J., Jr.: see Youngman, E. A.
Borsini, G.: see Nicora, C.
Boyles, J. G., and Toby, S.: The mechanism of the polymerization of gaseous formaldehyde, 411
Breuer, H.: see Haward, R. N.
Bruck, S. D.: Thermal stability and glass transition of organotin polyesters, 933
Burr, R. C.: see Fanta, G. F.
Cantow, M., Porter, R. S., and Johnson, J. F.: Sample concentration effect in gel permeation chromatography, 707
Carraro, G.: see Modena, M.
Casper, G. V., and Henley, E. J.: The permeation of polymeric films by H_2 and ethane, 417
Cernia, E. M., and Mancini, C.: An approach to the investigation of concentrated polyethylene solutions, 71
Challa, G.: see Talen, J. L.
Chen, H. Y.: Microstructures of polyisoprenes by high-resolution nuclear magnetic resonance, 891
–: Remarks on the article of J. L. Binder, "Cyclic structures in diolefin polymers," 1007
Chiang, R.: see Rhodes, J. H.
Ciampelli, F.: see Segre, A. L.
Coiro, V. M., De Santis, P., Liquori, A. M., and Ripamonti, A.: Molecular conformation of poly(vinylidene chloride), 821
Coleman, B. D., Fox, T. G , and Reinmoller, M.: On stereosequence distributions from anionic polymerizations, 1029
Colvin, J. R.: Tip-growth of bacterial cellulose microfibrils and its relation to the crystallographic fine structure of cellulose, 747
Cooper, W., Smith, R. K., and Stokes, A.: The effect of electron donors on the reduction of vanadium trichloride by organoaluminum compounds, 309
Cosani, A., Peggion, E., Scoffone, E., and Verdini, A. S.: Chromatographic fractionation of poly-γ-benzyl-L-glutamate, 55
Cossi, G.: see Modena, M.
Costantino, L.: see Anzuino, G.
Credali, L.: see Russo, M.
Culbertson, B. M., and Murphy, R.: Poly(phenylene-1,3,4-oxadiazolyl benzoxazoles), 249
Czájlik, I., Váradi, J., and Baán, A.: Some results from studies of the reaction of Z-N catalysts, 661
Dall'Asta, G.: see Segre, A. L.
Dantzig, L. L.: see Korotkov, A. A.
Davidson, E. B.: The polymerization of allylbenzene with Lewis acids; A polyalkylation reaction, 175

De Checchi, C.: see Russo, M.
De Santis, P.: Stability of helical conformations of polyoxymethylene, 681
–: see Coiro, V. M.
Dondos, A., Rempp, P., and Benoit, H.: Solution behavior of graft copolymers, 293
Doremus, R. H.: Interionic diffusion in the acid dyeing of polyamides, 755
Doskočilová, D.: see Lím, D.
Erickson, J. G.: Polyester–polyvinyl block copolymers, 657
Fanta, G. F., Burr, R. C., Russell, C. R., and Rist, C. E.: Graft copolymers of starch. II. Copolymerization of gelatinized wheat starch with acrylonitrile: Influence of reaction conditions on copolymer composition, 765
Fejgin, J., and Penczek, St.: Formation of copolymers through codegradation. Polyacetal–polyether and polyacetal–polyester systems, 615
Ficker, H. K.: see Shida, M.
Figini, R. V.: Some comments on the article of A. A. Korotkov and A. F. Podolsky: On the mechanism of anionic polymerization of styrene with "living" polystyrene, 223
Fischer, T., Kinsinger, J. B., and Wilson, C. W., III: Microstructure in copolymers. I. Determination of isobutylene and vinylidene chloride diads by NMR spectroscopy, 379
Flynn, J. H., and Wall, L. A.: A quick, direct method for the determination of activation energy from thermogravimetric data, 323
Ford, R. W.: see Bastien, I. J.
Fox, R. B.: see Price, T. R.
Fox, T. G.: see Coleman, B. D.
Fujii, K., Shibatani, K., Fujiwara, Y., Ohyanagi, Y., Ukida, J., and Matsumoto, M.: NMR spectra of poly(vinyl formal) and its model compounds, 787
Fujiwara, Y.: see Fujii, K.
Fukui, K.: see Kagiya, T.
Fukumura, T.: see Okada, R.
Gallo, R.: see Anzuino, G.
Ghosh, P., and O'Driscoll, K. F.: Vinyl polymerization initiated by sulfur dioxide, 519
Giuliani, G.: see Nencini, G.
Glet, W.: see Korte, F.
Gloor, W. E.: A correlation between stress–strain curves of some polyolefins and their behavior in environmental stress-crack tests, 497
Goethals, E. J.: Synthesis and polymerization of allyl vinyl sulfonate, 691
Goldstein, M.: A model for cold flow in amorphous polymers, 87
Golub, M. A.: cis-trans-Isomerization of polyisoprene-3-d, and the question of double bond migration during isomerization, 227
–, and Heller, J.: Remarks on cyclized 3,4-polyisoprene, 469
–, and Stephens, C. L.: Sensitized cis-trans-isomerization of polybutadiene films, 959
Grant, I. J.: see Blundell, D. J.
Gray, R. W., and McCrum, N. G.: The β-relaxation in polychlorotrifluoroethylene, 639
Guiochon, G.: see Zulaica, J.
Hagiwara, M.: see Machi, S.
–: see Mitsui, H.
Hall, J. R.: Polymerization of 4-bromo-2,6-dimethylphenol anion initiated by 2,4,6-tri-t-butylphenoxy radical, 463
Hansen, R. H., and Schonhorn, H.:

A new technique for preparing low surface energy polymers for adhesive bonding, 203
Harris, F. W.: see Stille, J. K.
Hasegawa, M., and Takahashi, H.: Linear polyhydrazides, 369
Hatada, K.: see Murahashi, S.
Hatano, M.: see Nomori, H.
Haward, R. N., Breuer, H., and Rehage, G.: The free volume of polystyrene, 375
Hayashi, K.: see Tsuji, K.
–: see Yamaoka, H.
Hayashi, T.: see Yamada, N.
Heller, J.: see Golub, M. A.
Henley, E. J.: see Casper, G. V.
Herz, J. E., and Stannett, V.: The solid-state polymerization of trithiane, 995
Hirai, H.: see Ochiai, E.
Hirayama, T.: see Matsuda, M.
Homyak, J.: see Prince, M.
Hosaka, S.: see Tsuju, J.
Hoyt, J. W.: Friction reduction as an estimator of molecular weight, 713
Hrdlovič, P.: see Bellušš, D.
Hsieh, H. L., and McKinney, O. F.: Relationship between the heterogeneity index and the kinetic ratio of anionically polymerized polymers, 843
Huber, L. M.: see Rubin, I. D.
Ide, F.: see Joh, Y.
Iimura, K.: see Takeda, M.
Ikeda, K.: see Yoda, N.
Ikeda, R. M.: A mechanical effect of orientation, 353
Ikeda, S., and Tamaki, A.: On the mechanism of the cyclization reaction in acetylene polymerization, 605
Imai, K.: see Abe, H.
Imai, Y.: see Akiyama, M.
Imoto, M.: see Ito, T.
–, Nakaya, T., Tomomoto, T., and Ohasi, K.: Polymerization of methyl methacrylate initiated by arylcarbene, 955
Ishigure, K.: see Matsuzaki, K.
–, Tabata, Y., and Oshima, K.: NMR spectra of polymethacrylonitriles, 669
Ishimoto, Y.: see Aso, C.
Ishioroshi, Y.: see Matsuda, M.
Ito, K.: see Aso, C.
–: see Yamashita, Y.
Ito, T., Otsu, T., and Imoto, M.: A correlation between Alfrey-Price Q values and ultraviolet spectra of vinyl monomers, 81
Itoh, Y.: see Matsubara, I.
Iwakura, Y.: see Akiyama, M.
Izu, M.: see Kagiya, T.
Jelinek, M.: see Laita, Z.
Joh, Y., Yoshihara, T., Kotake, Y., Ide, F., and Nakatsuka, K.: Stereospecific polymerization of methacrylonitrile, 673
Johnson, J. F.: see Cantow, M.
Johnson, K. E., Lovinger, J. A., Parker, C. O., and Baldwin, M. G.: 1,3-Dipolar cycloaddition polymerization of 4-azido-1-butyne, 977
Jones, L. D., and Karasz, F. E.: Heat of fusion of lexan polycarbonate, 803
Kagiya, T.: see Machi, S.
–: see Mitsui, H.
–, Izu, M., Kawai, S., and Fukui, K.: Radiation-induced polymerization of maleimide, 387
–, Narisawa, S., Maeda, T., and Fukui, K.: Preparation of a crystalline poly(ester-amide) by the polyaddition reaction of bisoxazoline and a dicarboxylic acid, 257
–, –, –, and –: Ring-opening

polymerization of 2-substituted 2-oxalines, 441
Kamath, P. M.: see Pritchett, E. G.
Kambara, S.: see Nomori, H.
Kamiya, Y.: The cobalt salt-catalyzed autoxidation of polypropylene suspended in acetic acid, 999
Kamiyama, H.: see Tsuji, K.
Karasz, F. E.: see Jones, L. D.
Kardos, J. L., Baer, E., and Morrow, D. R.: Fracture-surface morphology of annealed polypropylene, 453
Kataoka, T., and Ueda, S.: Viscosity–molecular weight relationship for polydimethylsiloxane, 317
Kato, K.: Osmium tetroxide fixation of rubber latices, 35
Kawai, S.: see Kagiya, T.
Keil, T.: see Soga, K.
Keller, A.: see Blundell, D. J.
Kenjo, H.: see Yoshino, T.
Kinsinger, J. B.: see Fischer, T.
Kise, S.: see Machi, S.
Knoll, F. J.: see Ritchey, W. M.
Kolínský, M.: see Lím, D.
Komiyama, J.: see Yoshino, T.
Koningsveld, R., and Staverman, A. J.: On preparative polymer fractionation, 759
Korotkov, A. A., Mitzengendler, S. P., and Dantzig, L. L.: On the mechanism of copolymerization of styrene and methyl methacrylate with metallic lithium, 809
Korte, F., and Glet, W.: Hochdruckreaktionen. II. Die polymerisation von γ-butyrolacton und δ-valerolactam bei hohen drucken, 685
Kotake, Y.: see Joh, Y.
Kovacs, A. J.: see Blundell, D. J.
Kryszewski, M.: The equilibrium constants for donor–acceptor complex formation by high polymers with various tacticities, 595
Kunitake, T.: see Aso, C.
Kuntz, I.: The initiation process in the polymerization of tetrahydrofuran with carbonium ion salts, 427
Kurihara, M.: see Yoda, N.
Laita, Z., and Jelinek, M.: Gleichgewichsreaktionen bei der polymerisation von cyklischen polydimethylsiloxanen, 739
Laurin, D., and Parravano, G.: Electrochemical polymerization of 4-vinylpyridine in liquid ammonia, 797
Levy, M.: see Berger, G.
Leyte, J. C.: The conformational transition of poly(methacrylic acid), 245
Liberti, P. A., and Stivala, S. S.: On the viscosity of aqueous polyelectrolytes, 137
Lím, D., Obereigner, B., and Doskočilová, D.: Separation of stereoisomers of methyl 2,4,6-heptanetricarboxylate (erratum), 231
–, Kolínský, M., Petránek, J., Doskočilová, D., and Schneider, B.: Separation and characterization of stereoisomers of 2,4,6-triphenylheptane, 645
–, –, Štokr, J., and Petránek, J.: Separation and characterization of stereosiomers of 2,4,6-trichloroheptane, 577
–, –, Votavová, E., Ryska, M., and Lukas, J.: The separation of stereoisomers of some 2,4-disubstituted pentanes by means of fractionation, 573
–, Votavová, E., Štokr, J., and Petránek, J.: Separation and characterization of stereoisomeric 2,4,6-triacetoxyheptane

and 2,4,6-heptanetriol, 581
Liquori, A. M.: see Coiro, V. M.
–, and Savino, M. De S.: Dilute solution properties of the stereocomplex between isotactic and syndiotactic poly(methyl methacrylate), 943
Lovinger, J. A.: see Johnson, K. E.
Lukas, J.: see Lím, D.
McCrum, N. G.: see Gray, R. W.
McKinney, O. F.: see Hsieh, H. L.
McMahon, P. E.: Effect of orientation on molecular motion in nylon 66, 43
–: Some novel aspects of wide-line NMR studies of nylon 66, 75
Machi, S.: see Mitsui, H.
–, Hagiwara, M., and Kagiya, T.: The photopolymerization of ethylene under high pressure, 1019
–, Kise, S., Hagiwara, M., and Kagiya, T.: Behavior of the long-lived radical in an AIBN-initiated ethylene polymerization, 585
Maeda, T.: see Kagiya, T.
Mainen, E. L.: see Stille, J.
Mak, H. D.: see Bastien, I. J.
Makishima, S.: see Ochiai, E.
Maňásek, Z.: see Belluš, D.
Mancini, C.: see Cernia, E. M.
Mandelkern, L.: see Okada, T.
–, and Allou, A. L., Jr.: The fusion of polyethylene single crystals, 447
Mark, J. E.: Chain dimensions and dipole moments of poly(trimethylene oxide), 825
Markham, R. L.: see Mulvaney, J. E.
Marvel, C. S.: see Sowa, J. R.
Mason, C. D.: see Rakus, J. P.
Matlack, J. D., and Metzger, A. P.: Differential thermal analysis of modified poly(vinyl chloride), 875
Matsubara, I., Itoh, Y., and Shinomiya, M.: Lower-frequency infrared spectra (800–200 cm.$^{-1}$) and structures of polyamides, 47
Matsuda, M., Ishioroshi, Y., and Hirayama, T.: The polymerization initiated by liquid sulfur dioxide–pyridine (or its derivatives) complex in the presence of an organic halogen compound, 815
Matsumoto, M.: see Abe, H.
–: see Fujii, K.
Matsumura, K.: see Murahashi, S.
Matsuzaki, K., and Uryu, T.: On the stereoregularity of polymethacrylonitrile, 255
–, –, Ishigure, K., and Takeuchi, M.: NMR spectra of polyacrylonitriles, 93
–, –, Okada, M., Ishigure, K., Ohki, T., and Takeuchi, M.: The stereoregularity of polyacrylonitrile and an analysis of the NMR spectra of its model compounds, 487
Meinel, G.: see Peterlin, A.
Metzger, A. P.: see Matlack, J. D.
Meyerhoff, G.: see Stannett, V.
Misono, A., Noguchi, H., and Noda, S.: Preparation of trimellitonitrile and polypropiolonitrile by the polymerization of propiolonitrile with Ziegler-Natta catalysts, 985
Mitsui, H., Machi, S., Hagiwara, M., and Kagiya, T.: Microanalytical information on the initiation reaction in the γ-radiation-induced polymerization of ethylene, 881
Mitzengendler, S. P.: see Korotkov, A. A.
Miura, M.: see Aso, C.
Miyake, M.: see Oikawa, E.
Modena, M., Carraro, G., and Cossi, G.: Acetaldehyde olig-

omers by polycondensation, 613
Morawetz, H., Overberger, C. G., Salomone, J. C., and Yaroslavsky, S.: The effect of a strongly ionizing polycation on the solvolysis rate of an anionic ester, 609
Mori, S.: see Takeuchi, T.
Morrow, D. R.: see Kardos, J. L.
Mortillaro, L.: see Russo, M.
Mortimer, G. A.: see Tidwell, P. W.
Mukamal, H.: see Stille, J. K.
Mulvaney, J. E., and Markham, R. L.: Anionic initiation of vinyl polymerization by dimsylsodium in aprotic solvents, 343
Munari, S.: see Ayscough, P. B.
–, and Russo, S.: Some kinetic features of the radiation-induced polymerization of ethylene, 733
–, Vigo, F., Tealdo, G., and Rossi, C.: Synthesis and some properties of cationic membranes grafted onto a PTFE backbone, 547
Murahashi, S., Nozakura, S., Sumi, M., and Matsumura, K.: The preparation and some properties of highly stereoregular poly(vinyl alcohols), 59
–, –, –, and Ohno, R.: The synthesis of alternating copolymers of vinyl alcohol, 187
–, –, –, Yuki, K., and Hatada, K.: NMR study of the tacticity of poly(vinyl acetate), 65
Murayama, N., and Amagi, Y.: On head-to-head poly(vinyl chloride) and poly(vinylidene chloride), 119
–, and –: Thermal degradation of head-to-head poly(vinyl chloride) and poly(vinylidene chloride), 115
Murayama, Y.: see Soga, K.
Murphy, R.: see Culbertson, B. M.
Nakanishi, R.: see Yoda, N.
Nakatsuka, K.: see Joh, Y.
Nakaya, T.: see Imoto, M.
Narisawa, S.: see Kagiya, T.
Nencini, G., Giuliani, G., and Salvatori, T.: Intramolecular hydrogen transfer in the pyrolysis of ethylene–propylene copolymers (erratum), 79
Nicora, C., Borsini, G., and Ratti, L.: The polymerization of vinyl chloride by tetraethyllead and multivalent metal salts, 151
Niegisch, W. D.: Morphology of poly-p-xylylene, 531
Noda, S.: see Misono, A.
Noguchi, H.: see Misono, A.
Noh, I., and Yu, H.: Kinetics and statistics of structural changes in polyacrylonitrile, 721
Nomori, H., Hatano, M., and Kambara, S.: On the initiation of N-vinylcarbazole polymerization with p-chloranil, 261
–, –, and –: Polymerization of N-vinylindole and N-vinylpyrrole with organic electron acceptors, 623
Nozakura, S.: see Murahashi, S.
Obereigner, B.: see Lím, D.
Ochiai, E., Hirai, H., and Makishima, S.: Coordinated radical polymerization of butadiene catalyzed by rhodium nitrate in ethanol, 1003
Ochiai, S.: see Takeda, M.
O'Driscoll, K. F.: see Ghosh, P.
Ogata, N., and Asahara, T.: A novel synthesis of polyamide from amino alcohol and acrylate, 273
Oguni, N.: see Tani, H.
Ohasi, K.: see Imoto, M.
Ohki, T.: see Matsuzaki, K.
Ohno, R.: see Murahashi, S.
Ohyanagi, Y.: see Fujii, K.
Oikawa, E., Miyake, M., and Sudo, T.: Polymers containing the s-

triazine ring. I. Polyaddition reaction of benzoguanamine and 2-phenyl-4,6-dihydroxy-s-triazine with diisocyanates, 775
Okada, M.: see Matsuzaki, K.
Okada, R., Fukumura, T., and Tanzawa, H.: Limiting viscosity numbers of nylon 6 cyclic oligomers, 971
Okada, T., and Mandelkern, L.: The infrared determination of the degree of crystallinity of polyethylene crystallized from dilute solution, 1043
Okamura, S.: see Yamaoka, H.
Olf, H. G.: see Peterlin, A.
Oshima, K.: see Ishigure, K.
Otsu, T.: see Ito, T.
–: see Yamamoto, T.
Overberger, C. G.: see Morawetz, H.
Parker, C. O.: see Johnson, K. E.
Parravano, G.: see Laurin, D.
Peggion, E.: see Cosani, A.
Penczek, St.: see Fejgin, J.
Pepper, D. C.: see Barrales-Rienda, J. M.
Peterlin, A.: Hydrodynamics of macromolecules in a velocity field with longitudinal gradient, 287
–, Meinel, G., and Olf, H. G.: Fuming nitric acid treatment of polyethylene. II. The fold surfaces of single crystals, 399
Petránek, J.: see Lím, D.
Pittman, A. G., and Sharp, D. L.: Fluoroalkyl glycidyl ethers from fluoro ketones (erratum), 159
Porter, R. S.: see Cantow, M.
Preston, J., and Black, W. B.: Thermally stable ordered amide–heterocycle copolymers, 267
–, and Smith, R. W.: Novel aromatic copolyamides, 1033
Price, T. R., and Fox, R. B.: Photodegradation of polystyrene in solution, 771
Prince, M., and Hornyak, J.: High pressure reactions. I. High energy electron polymerization of acrylamide, 493
–, and –: High pressure reactions. IV. Poly(pyromellitamic acids), 601
Pritchett, E. G., and Kamath, P. M.: Polymerization characteristics of α-methyleneglutaronitrile, 849
Quadrat, O., and Bohdanecky, M.: Rheological anomalies of poly(methyl methacrylate) solutions in θ-solvents, 833
Rakus, J. P., and Mason, C. D.: The direct formation of modification I′ polybutene-1, 467
Rakutis, R. O.: see Stille, J. K.
Randall, J. C.: see Rhodes, J. H.
Ratti, L.: see Nicora, C.
Rehage, G.: see Haward, R. N.
Reich, L.: Approximate estimation of activation energy from DTA and TGA traces, 423
Reimschuessel, H. K.: A novel polyamide, 953
Reinmoller, M.: see Coleman, B. D.
Rempp, P.: see Dondos, A.
Rhodes, J. H., Chiang, R., and Randall, J. C.: Isotopic exchange reactions of the tertiary hydrogen in polyacrylonitrile accompanied by acid and base hydrolyses, 393
Rijke, A. M.: Unperturbed chain dimensions from the swelling of networks, with an application to cellulose acetate, 131
Ripamonti, A.: see Coiro, V. M.
Rist, C. E.: see Fanta, G. F.
Ritchey, W. M., and Ball, L. E.: Measurement of copolymerization reactivity ratios by NMR, 557

–, and Knoll, F. J.: Concerning NMR line ordering and multiplicity owing to tactic structures in polymers, 853
Rossi, C.: see Munari, S.
Rubin, I. D., and Huber, L. M.: Effect of structure on radiation damage in isotactic polybutene-1, 337
Rudd, J. F.: Photoelastic behavior of polystyrene and poly-α-methylstyrene, 929
Russell, C. R.: see Fanta, G. F.
Russo, M., Mortillaro, L., Credali, L., and De Checchi, C.: Copolymers with formaldehyde and selenoformaldehyde units, 167
Russo, S.: see Munari, S.
Ryska, M.: see Lím, D.
Saga, M., and Shono, T.: Polycondensation of oxalamidrazone with dicarboxylic acid chlorides, 869
Salomone, J. C.: see Morawetz, H.
Salvatori, T.: see Nencini, G.
Savino, M. De S.: see Liquori, A. M.
Schindler, A.: Independent determination of polymer growth on tetravalent and trivalent titanium sites of Ziegler-catalyst systems, 193
Schneider, B.: see Lím, D.
Schneider, C., and Swallow, A. J.: Polymerization of styrene by irradiation with short pulses of fast electrons, 277
Schonhorn, H.: see Hansen, R. H.
Schopov, I.: Synthesis of a "vat" polymer, poly-5,5′-biisatyl-[thiophene]-indophenine, 1023
Schultz, R. G.: The chemistry of palladium complexes. III. The polymerization of norbornene systems catalyzed by palladium chloride, 541
Scoffone, E.: see Cosani, A.
Scott, H.: Comment on the report by Balas, De La Mare, and Schissler regarding cis-1,4-polymerization of 1,3-butadiene with alkyl-free cobalt catalyst, 105
Secrist, D. R., and Mackenzie, J. D.: Glow-discharge synthesis of a fluorosiloxane polymer, 537
Segal, L.: Fractionation of cellulose trinitrates by gel permeation chromatography, 1011
Segre, A. L., Ciampelli, F., and Dall'Asta, G.: Stereoregularity of polymethacrylonitriles obtained by anionic coordinate polymerization, 633
Sharp, D. L.: see Pittman, A. G.
Shibatani, K.: see Fujii, K.
Shida, M., Ficker, H. K., and Stone, I. C.: The manner of participation of ethyl branches in crystallization of ethylene–butene-1 copolymer, 347
Shimada, K.: see Yamada, N.
Shinomiya, M.: see Matsubara, I.
Shiraishi, S.: see Akiyama, M.
Shono, T.: see Saga, M.
Sinatti, G.: see Bevington, J. C.
Smith, D. A.: Characterization of the thermal decomposition of chlorosulfonated polyethylenes by thermal analysis, 215
Smith, R. K.: see Cooper, W.
Smith, R. W.: see Preston, J.
Soga, K., Keil, T., and Murayama, Y.: A note on the deactivation phenomena in propylene polymerization with active $TiCl_3$, 199
Sowa, J. R., and Marvel, C. S.: Preparation of homopolymers and copolymers of vinyl maleopimarate acid anhydride, 431
Stannett, V.: see Herz, J. E.
–, and Meyerhoff, G.: Osmotic membranes from polystyrene-grafted

cellulose films, 899
Staverman, A. J.: see Koningsveld, R.
Stephens, C. L.: see Golub, M. A.
Stille, J. K., and Bedford, M. A.: Polymers from 1,3-dipolar addition reactions: The sydnone dipole, 329
–, and Harris, F. W.: Polymers from 1,3-dipole addition reactions: The nitrilimine dipole, 333
–, –, Rakutis, R. O., and Mukamal, H.: Diels-Alder polymerizations: Polymers containing controlled aromatic segments, 791
-, and Mainen, E.: Ladder polyquinoxalines, 39
–, and –: Ladder polyquinoxalines, 665
Stivala, S. S.: see Liberti, P. A.
Stokes, A.: see Cooper, W.
Štokr, J.: see Lím, D.
Stone, I. C.: see Shida, M.
Sudo, T.: see Oikawa, E.
Sumi, M.: see Murahashi, S.
Sumitomo, H., and Azuma, K.: Copolymerization of β-cyanoacrolein with styrene, 883
Swallow, A. J.: see Schneider, C.
Tabata, Y.: see Ishigure, K.
Takahashi, H.: see Hasegawa, M.
Takakura, K.: see Yamaoka, H.
Takeda, M., Iimura, K., and Ochiai, S.: A study of the transition of polystyrene in solution by infrared spectroscopy, 155
Takeuchi, M.: see Matsuzaki, K.
Takeuchi, T., Yamazaki, M., and Mori, S.: Spin-decoupled high resolution NMR study of the tacticity of poly(vinyl chloride–vinyl acetate) copolymer, 695
Talen, J. L., and Challa, G.: Crystallization of isotactic polystyrene from toluene solution, 407
Tamaki, A.: see Ikeda, S.
Tani, H., Araki, T., Oguni, N., and Aoyagi, T.: A new series of organoaluminum complexes and their use as highly stereospecific catalysts for the polymerization of acetaldehyde, 97
–, –, and Yasuda, H.: The isolation and polymerization activities of the reaction products between trialkylaluminum and acid amide, 727
Tanzawa, H.: see Okada, R.
Tealdo, G.: see Munari, S.
Thompson, E. V.: The thermal behavior of acrylonitrile polymers. I. On the decomposition of polyacrylonitrile between 250 and 325°C., 361
Tidwell, P. W., and Mortimer, G. A.: Reactivity in free-radical copolymerization, 527
Tirpak, G. A.: Infrared data showing the 1:1 relationship between ethyl and long branches in conventional polyethylene made by the free-radical process, 111
Toby, S.: see Boyles, J. G.
Tohyama, S.: see Yoda, N.
Tomomoto, T.: see Imoto, M.
Tsuda, T.: see Yamashita, Y.
Tsuji, J., and Hosaka, S.: Organic syntheses by means of noble metal compounds. XI. Copolymerization of carbon monoxide and norbornadiene (erratum), 79
Tsuji, K., Yamaoka, H., Hayashi, K., Kamiyama, H., and Yoshida, H.: ESR study on the radiation-induced polymerization of nitroethylene, 629
Turner, D. T.: Radiation crosslinking of a trans-1,4-polyisoprene in the liquid and solid states, 717

Ueda, S.: see Kataoka, T.
Ukida, J.: see Fujii, K.
Uryu, T.: see Matsuzaki, K.
Van Deusen, R. L.: Benzimidazobenzophenanthroline polymers, 211
Váradi, J.: see Czájlik, I.
Venkatachalam, T. K.: see Wiley, R. H.
Verdini, A. S.: see Cosani, A.
Veruovic, B.: see Zachoval, J.
Vigo, F.: see Munari, S.
Vitagliano, V.: see Anzuino, G.
Vofsi, D.: see Berger, G.
Votavová, E.: see Lím, D.
Wall, L. A.: see Flynn, J. H.
Ward, I. M.: see Blundell, D. J.
Wiley, R. H., and Venkatachalam, T. K.: Kinetic evidence for diffusion control of the sulfonation of styrene/divinylbenzene bead copolymers, 981
Wilson, C. W.: see Fischer, T.
Wyatt, J.: see Blumberg, A. A.
Yaeger, E.: see Zana, R.
Yamada, N., Shimada, K., and Hayashi, T.: Polymerization of isobutylene by radical cation initiation, 477
Yamamoto, T., and Otsu, T.: Effects of the substituents in cumenes on their chain-transfer reactivities, 1039
Yamaoka, H.: see Tsuji, K.
–, Takakura, K., Hayashi, K., and Okamura, S.: Cationic polymerization of isobutyl vinyl ether initiated by the species derived from aldehydes or ketones and maleic anhydride, 509
Yamashita, Y., Umehara, K., Ito, K., and Tsuda, T.: The cross-propagation reaction in the cationic copolymerization of β-propiolactone and styrene, 241
Yamazaki, M.: see Takeuchi, T.
Yang, J. Y.: Radioassay of tritium- and ^{14}C-labeled polymer, 31
Yaroslavsky, S.: see Morawetz, H.
Yasuda, H.: see Tani, H.
Yoda, N.: see Asahara, T.
–, Kurihara, M., Ikeda, K., Tohyama, S., and Nakanishi, R.: Cyclopolycondensations. II. New thermally stable aromatic polybenzoxazinones, 551
–, Nakanishi, R., Kurihara, M., Bamba, Y., Tohyama, S., and Ikeda, K.: Cyclopolycondensation. I. New high temperature aromatic polyquinazolinediones, 11
Yoshida, H.: see Tsuji, K.
Yoshihara, T.: see Joh, Y.
Yoshino, T., Komiyama, J., and Kenjo, H.: Proportion of remaining Ph–Mg bonds in relation to the mode of PhMgBr-initiated polymerization of isopropyl acrylate, 991
Youngman, E. A., and Boor, J., Jr.: Ziegler polymerization of olefins. VII. The nature of the sites in conventional and metal alkyl-free catalysts, 913
Yu, H.: see Noh, I.
Yuki, H.: see Murahashi, S.
Zachoval, J., and Veruovic, B.: Butadiene polymerization by means of a catalytic system from alkylaluminum and rhodium compounds, 965
Zana, R., and Yeager, E.: Polyelectrolyte vibration potentials, 947
Zulaica, J., and Guiochon, G.: Identification of phenol-formaldehyde resins by gas chromatographic analysis of their pyrolysis products, 567

SUBJECT INDEX, VOLUME 4

Acetaldehyde, oligomers by polycondensation, 613
use of organoaluminum complexes as highly stereospecific catalysts for polymerization of, 97
Acetylene polymerization, cyclization reaction in, 605
Acid dyeing of polyamides, interionic diffusion in, 755
Acrylamide, high energy electron polymerization of, 493
Acrylonitrile polymers, thermal behavior of, decomposition of polyacrylonitrile between 250 and 325°C., 361
Activation energy, estimation from DTA and TGA traces, 423
quick method for determination of from thermogravimetric data, 323
Adhesive bonding, low surface energy polymers for, 203
AIBN-initiated ethylene polymerization, behavior of long-lived radical in, 585
Alfrey-Price Q values and ultraviolet spectra of vinyl monomers, a correlation between, 81
Alkylaluminum and rhodium compounds, butadiene polymerization by means of a catalytic system from, 965
Allylbenzene, polymerization with Lewis acids, polyalkylation reaction, 175
Allyl vinyl sulfonate, synthesis and polymerization of, 691
Alternating copolymers of vinyl alcohol, synthesis of, 187
Amide–heterocycle copolymers, thermally stable ordered, 267
Amino alcohol and acrylate, novel synthesis of polyamide from, 273
Amorphous polymers, a model for cold flow in, 87
Anionically polymerized polymers, relationship between heterogeneity index and kinetic ratio of, 843
Anionic and cationic "living" polymers, mutual termination of, 183
Anionic coordinate polymerization, stereoregularity of polymethacrylonitriles obtained by, 633
Anionic ester, effect of a strongly ionizing polycation on the solvolysis rate of, 609
Anionic initiation of vinyl polymerization by dimsylsodium in aprotic solvents, 343
Anionic polymerizations, stereosequence distributions from, 1029
of styrene with "living" polystyrene, 223
Aqueous polyelectrolytes, viscosity of, 137
Aromatic copolyamides, novel, 1033
Aromatic polybenzoxazinones, 551
Aromatic polyquinazolinediones, 11
Aromatic segments, controlled, polymers containing, Diels-Alder polymerizations of, 791
Autoxidation, cobalt salt-catalyzed, of polypropylene suspended in acetic acid, 999
4-Azido-1-butyne, 1,3-dipolar cycloaddition polymerization of, 977
Bacterial cellulose microfibrils, tip-growth of, 747
Benzimidazo-benzophenathroline

polymers, 211
Benzoguanamine and 2-phenyl-4,6-dihydroxy-s-triazine with diisocyanates, polyaddition reaction of, 775
Block copolymers, polyester–polyvinyl, 657
4-Bromo-2,6-dimethylphenol anion, polymerization of, initiated by 2,4,6-tri-t-butylphenoxy radical, 463
Butadiene, coordinated radical polymerization of, catalyzed by rhodium nitrate in ethanol, 1003
polymerization of, by means of a catalytic system from alkylaluminum and rhodium compounds, 965
1,3-Butadiene, cis-1,4-polymerization of, with alkyl-free catalyst, 105
Butadiene–vinyl ester copolymerizations, 895
Carbon monoxide and norbornadiene, copolymerization of (erratum), 79
Catalysts, highly stereospecific, for polymerization of acetaldehyde, use of organoaluminum complexes as, 97
Z-N, results from studies of the reaction of, 661
Cationic copolymerization of β-propiolactone and styrene, cross-propagation reaction in, 241
Cationic membranes grafted onto a PTFE backbone, synthesis and properties of, 547
Cationic polymerization, of cyclopentadiene, 701
of isobutyl vinyl ether initiated by the species derived from aldehydes or ketones and maleic anhydride, 509
Cellulose acetate, unperturbed chain dimensions from the swelling of networks in, 131
Cellulose films, polystyrene-grafted, osmotic membranes from, 899
Cellulose trinitrates, fractionation of, by gel permeation chromatography, 1011
Chain dimensions, and dipole moments of poly(trimethylene oxide), 825
unperturbed, from the swelling of networks, with an application to cellulose acetate, 131
Chain-transfer reactivities, effects of the substituents in cumenes on, 1039
Chlorosulfonated polyethylenes, characterization of the thermal decomposition by thermal analysis, 215
Chromatographic fractionation of poly-γ-benzyl-L-glutamate, 55
^{14}C-labeled polymer, radioassay of, 31
Cobalt salt-catalyzed autoxidation of polypropylene suspended in acetic acid, 999
Codegradation, copolymers through, polyacetal–polyether and polyacetal–polyester systems, 615
Cold flow in amorphous polymers, a model for, 87
Concentration effect, sample, in gel permeation chromatography, 707
Conformational transition of poly(methacrylic acid), 245
Copolyamides, novel aromatic, 1033
Copolymerization, of carbon monoxide and norbornadiene (erratum), 79
of β-cyanoacrolein with styrene, 883
of styrene and methyl methacry-

late with metallic lithium, 809
Copolymerization reactivity ratios, measurement by NMR, 557
Copolymers, through codegradation, polyacetal–polyether and polyacetal–polyester systems, 615
with formaldehyde and selenoformaldehyde units, 167
Cross-propagation reaction in the cationic copolymerization of β-propiolactone and styrene, 241
Crystalline isotactic polypropylene, the γ-form of, 127
Crystalline poly(alkyl methacrylates), 861
Crystallinity, degree of, of polyethylene crystallized from dilute solution, infrared determination of, 1043
Crystallization, of ethylene–butene-1 copolymer, manner of participation of ethyl branches in, 347
of isotactic polystyrene from toluene solution, 407
Cumenes, effects of the substituents in, on their chain-transfer reactivities, 1039
β-Cyanoacrolein, copolymerization of, with styrene, 883
Cyclic structures in diolefin polymers, 19, 1007
Cyclization reaction in acetylene polymerization, 605
Cyclized 3,4-polyisoprene, 469
Cyclopentadiene, cationic polymerization of, 701
Cyclopolycondensations, new high temperature aromatic polyquinazolinediones, 11
new thermally stable aromatic polybenzoxazinones, 551
Deactivation phenomenon in propylene polymerization with active $TiCl_3$, 199
Decomposition of polyacrylonitrile between 250 and 325°C., 361
Degraded polyethylene single crystals, examination by gel permeation chromatography, 781
Diads of isobutylene and vinylidene chloride, determination of, by NMR spectroscopy, 379
Diels-Alder polymerizations, polymers containing controlled aromatic segments, 791
1,4-Dienes, kinetics of free-radical cyclopolymerization of, 513
Differential thermal analysis of modified poly(vinyl chloride), 875
Diffusion, interionic, in the acid dyeing of polyamides, 755
Diffusion control of the sulfonation of styrene/divinylbenzene bead copolymers, kinetic evidence for, 981
Dilute-solution properties, of linear polymers, molecular-weight and temperature dependence of, 161
of the stereocomplex between isotactic and syndiotactic poly(methyl methacrylate), 943
Diolefin polymers, cyclic structures in, 19, 1007
1,3-Dipolar addition reactions, polymers from, 329, 333
1,3-Dipolar cycloaddition polymerization of 4-azido-1-butyne, 977
Donor–acceptor complex formation by high polymers with various tacticities, equilibrium constants for, 595
DTA and TGA traces, estimate of activation energy from, 423
Electrochemical polymerizations of 4-vinylpyridine in liquid ammonia, 797

Electron donors, effect on the reduction of vanadium trichloride by organoaluminum compounds, 309
Electrophoretic separation of conventional and isotactic poly(methacrylic acid), 549
Equilibrium constants for donor–acceptor complex formation by high polymers with various tacticities, 595
Ester, anionic, effect of a strongly ionizing polycation on the solvolysis rate of, 609
Ethers, fluoroalkyl glycidyl, from fluoro ketones (erratum), 159
Ethyl branches, manner of participation in crystallization of ethylene–butene-1 copolymer, 347
Ethylene, initiation reaction in γ-radiation-induced polymerization of, 881
photopolymerization of, under high pressure, 1019
polymerization of, AIBN-initiated, behavior of long-lived radical in, 585
radiation-induced polymerization of, 733
Ethylene–butene-1 copolymer, manner of participation of ethyl branches in crystallization of, 347
Ethylene–propylene copolymers, intramolecular hydrogen transfer in the pyrolysis of (erratum), 79
Ethyl and long branches in conventional polyethylene, 1:1 relationship between, shown by infrared data, 111
Fixation, osmium tetroxide, of rubber latices, 35
Fluoroalkyl glycidyl ethers from fluoro ketones (erratum), 159
Fluoro ketones, fluoroalkyl glycidyl ethers from (erratum), 159
Fluorosiloxane polymer, glow-discharge synthesis of, 537
Formaldehyde, gaseous, polymerization of, 411
and selenoformaldehyde units, copolymers with, 167
Fractionation, of cellulose trinitrates by gel permeation chromatography, 1011
preparative polymer, 759
Fracture-surface morphology of annealed polypropylene, 453
Free-radical copolymerization, reactivity in, 527
Free-radical cyclopolymerization of 1,4-dienes, kinetics of, 513
Friction reduction as an estimator of molecular weight, 713
Fuming nitric acid treatment of polyethylene, fold surfaces of single crystals, 399
Fusion, of Lexan polycarbonate, heat of, 803
of polyethylene single crystals, 447
Gaseous formaldehyde polymerization, 411
Gel permeation chromatography, fractionation of cellulose trinitrates by, 1011
sample concentration effect in, 707
Gleichgewichsreaktionen bei der polymerisation von cyklischen polydimethylsiloxanen, 739
Glow-discharge synthesis of a fluorosiloxane polymer, 537
Graft copolymers, solution behavior of, 293
Graft copolymers of starch, copolymerization of gelatinized wheat starch with acrylonitrile, 765
Halogen compound, organic, polymerization initiated by liquid sulfur dioxide–pyridine com-

plex in the presence of, 815
^{3}H-benzoyl peroxide, experiments with, 7
Head-to-head poly(vinyl chloride) and poly(vinylidene chloride), 119
thermal degradation of, 115
Heat of fusion of Lexan polycarbonate, 803
Helical conformations of polyoxymethylene, stability of, 681
Heterogeneity index and the kinetic ratio of anionically polymerized polymers, relationship between, 843
H_2 and ethane, permeation of polymeric films by, 417
High pressure reactions, high energy electron polymerization of acrylamide, 493
poly(pyromellitamic acids), 601
Hochdruckreaktionen, die polymerisation von γ-butyrolacton und δ-valerolactam bei hohen drucken, 685
Homopolymers and copolymers of vinyl maleopimarate acid anhydride, preparation of, 431
Hydrodynamics of macromolecules in a velocity field with longitudinal gradient, 287
Hydrogen transfer, intramolecular, in the pyrolysis of ethylene–propylene copolymers (erratum), 79
Hydroxyl endgroup analysis, determination of molecular weights of polypropylene glycols and polyethylene glycols by, 837
Infrared data showing the 1:1 relationship between ethyl and long branches in conventional polyethylene, 111
Infrared determination of the degree of crystallinity of polyethylene crystallized from dilute solution, 1043
Infrared spectra, lower-frequency (800–200 cm.$^{-1}$), and structures of polyamides, 47
Initiation process in polymerization of tetrahydrofuran with carbonium salts, 427
Initiation reaction in γ-radiation-induced polymerization of ethylene, 881
Interionic diffusion in the acid dyeing of polyamides, 755
Intramolecular hydrogen transfer in the pyrolysis of ethylene–propylene copolymers (erratum), 79
Irradiated polypropylene, room temperature ESR spectrum of, 503
Isobutylene, polymerization of, by radical cation initiation, 477
and vinylidene chloride diads, determination of, by NMR spectroscopy, 379
Isobutyl vinyl ether, cationic polymerization of, 509
Isolation and polymerization activities of the reaction products between trialkylaluminum and acid amide, 727
cis-trans-Isomerization, of polyisoprene-3-d, 227
sensitized, of polybutadiene films, 959
Isopropyl acrylate, proportion of remaining Ph–Mg bonds in relation to the mode of PhMgBr-initiated polymerization of, 991
Isotactic polybutene-1, effect of structure on radiation damage in, 337
Isotactic polystyrene, crystallization of, from toluene solution, 407

Isotopic exchange reactions of tertiary hydrogen in polyacrylonitrile accompanied by acid and base hydrolyses, 393
Ketones, fluoro, fluoroalkyl glycidyl ethers from (erratum), 159
Kinetics of free-radical cyclopolymerization of 1,4-dienes, 513
Ladder polyquinoxalines, 39, 665
Lexan polycarbonate, heat of fusion, of, 803
Linear polyhydrazides, 369
Linear polymers, molecular-weight and temperature dependence of dilute-solution properties of, 161
"Living" polymers, anionic and cationic, mutual termination of, 183
Lower-frequency infrared spectra (800–200 cm.$^{-1}$) and structures of polyamides, 47
Low surface energy polymers for adhesive bonding, 203
Macromolecules, hydrodynamics of, in a velocity field with longitudinal gradient, 287
Malealdehyde, polymerization of, 171
Maleimide, radiation-induced polymerization of, 387
Mechanical effect of orientation, 353
Melting points of polyethylene resins, 147
Methacrylonitrile, stereospecific polymerization of, 673
α-Methyleneglutaronitrile, polymerization characteristics of, 849
Methyl 2,4,6-heptanetricarboxylate, stereoisomers of, separation of (erratum), 231
Methyl methacrylate, polymerization of, initiated by arylcarbene, 955
polymerization of, with homogeneous aluminum alkyl–titanium alkoxide catalyst systems, 589
Microstructures, in copolymers, determination of isobutylene and vinylidene chloride diads by NMR spectroscopy, 379
of polyisoprenes by high-resolution nuclear magnetic resonance, 891
Migration, double bond, during the cis-trans-isomerization of polyisoprene-3-d, 227
Modification I′ polybutene-1, direct formation of, 467
Molecular motion in nylon 66, effect of orientation on, 43
Molecular weight, friction reduction as an estimator of, 713
Morphology of poly-p-xylylene, 531
Mutual termination of anionic and cationic "living" polymers, 183
Natural rubber oxidation, scission efficiency in, 27
Natural rubber vulcanizates, low-sulfur, oxidation stability of, 905
Nitrilimine dipole, 333
Nitroethylene, ESR study on the radiation-induced polymerization of, 629
NMR line ordering and multiplicity owing to tactic structures in polymers, 853
NMR spectra, of polyacrylonitriles, 93
of polymethacrylonitriles, 669
NMR studies, wide-line, of nylon 66, 75
NMR study of the tacticity of poly(vinyl acetate), 65
Noble metal compounds, organic syntheses by, copolymerization of carbon monoxide and norbornadiene (erratum), 79

Norbornadiene and carbon monoxide, copolymerization of (erratum), 79
Norbornene systems, polymerization of, catalyzed by palladium chloride, 541
Nylon 66, effect of orientation on molecular motion in, 43
wide-line NMR studies of, 75
Nylon 6 cylcic oligomers, limiting viscosity numbers of, 971
Olefins, Ziegler polymerization of, nature of the sites, 913
Oligomers, nylon 6 cyclic, limiting viscosity numbers of, 971
Organic halogen compound, polymerization initiated by liquid sulfur dioxide–pyridene (or its derivatives) complex in the presence of, 815
Organoaluminum complexes, a new series, and their use as highly stereospecific catalysts for polymerization of acetaldehyde, 97
Organotin polyesters, thermal stability and glass transition of, 933
Orientation, effect on molecular motion in nylon 66, 43
mechanical effect of, 353
Osmium tetroxide fixation of rubber latices, 35
Osmotic membranes from polystyrene-grafted cellulose films, 899
Oxalamidrazone, polycondensation with dicarboxylic acid chlorides, 869
2-Oxalines, 2-substituted, ring-opening polymerization of, 441
Oxidation of natural rubber, scission efficiency in, 27
Oxidation stability of low-sulfur natural rubber vulcanizates, 905
Palladium complexes, chemistry of, polymerization of norbornene systems catalyzed by palladium chloride, 541
Pentanes, 2,4-disubstituted, separation of stereoisomers of, by means of fractionation, 573
Permeation of polymeric films by H_2 and ethane, 417
Phenol–formaldehyde resins, identification of, by gas chromatographic analysis of their pyrolysis products, 567
PhMgBr-initiated polymerization of isopropyl acrylate, proportion of remaining Ph–Mg bonds in relation to the mode of, 991
Photodegradation of polystyrene in solution, 771
Photoelastic behavior of polystyrene and poly-α-methylstyrene, 929
Photoinitiated rearrangements in poly[2,2-propanebis(4-phenyl carbonate)], 1
Photopolymerization of ethylene under high pressure, 1019
Polyacetal–polyether and polyacetal–polyester systems, copolymers through codegradation, 615
Polyacrylonitrile, decomposition of between 250 and 325°C., 361
isotopic exchange reactions of the tertiary hydrogen accompanied by acid and base hydrolyses, 393
kinetics and statistics of structural changes in, 721
NMR spectra of, 93
stereoregularity of, and an analysis of the NMR spectra of its model compounds, 487
Polyaddition reaction, of benzoguanamine and 2-phenyl-4,6-

dihydroxy-s-triazine with diisocyanates, 775
of bisoxazoline and a dicarboxylic acid, preparation of a crystalline poly(ester amide) by, 257
Polyalkylation reaction in allylbenzene polymerization with Lewis acids, 175
Poly(alkyl methacrylates), crystalline, 861
Polyamide, novel, 953
novel synthesis from amino alcohol and acrylate, 273
Polyamides, interionic diffusion in the acid dyeing of, 755
lower-frequency infrared spectra (800–200 $cm.^{-1}$) and structures of, 47
Polybenzoxazinones, aromatic, 551
Poly-γ-benzyl-L-glutamate, chromatographic fractionation of, 55
Poly-5,5′-biisatyl-[thiophene]-indophenine, "vat" polymer, synthesis of, 1023
Polybutadiene films, sensitized cis-trans isomerization of, 959
Polybutene-1, modification I′, direct formation of, 467
Polycation, strongly ionizing, effect on the solvolysis rate of an anionic ester, 609
Polychlorotrifluoroethylene, β-relaxation in, 639
Polycondensation, acetaldehyde oligomers by, 613
of oxalamidrazone with dicarboxylic acid chlorides, 869
Polydimethylsiloxane, viscosity–molecular weight relationship for, 317
Polyelectrolytes, aqueous, viscosity of, 137
Polyelectrolyte vibration potentials, 947
Poly(ester amide), crystalline, preparation of by the polyaddition reaction of bisoxazoline and a dicarboxylic acid, 257
Polyester–polyvinyl block copolymers, 657
Polyesters, organotin, thermal stability and glass transition of, 933
Polyethylene, concentrated solutions of, an approach to the investigation of, 71
crystallized from dilute solution, infrared determination of the degree of crystallinity of, 1043
fuming nitric acid treatment of, fold surfaces of single crystals, 399
Poly(ethylene oxide)–mercuric halide complexes, 653
Polyethylene resins, melting points of, 147
Polyethylene single crystals, degraded, examination by gel permeation chromatography, 781
fusion of, 447
Polyhydrazides, linear, 369
Polyisobutene-1, isotactic, effect of structure on radiation damage in, 337
3,4-Polyisoprene, cyclized, 469
Polyisoprene-3-d, cis-trans-isomerization of, 227
trans-1,4-Polyisoprene, radiation crosslinking of, in the liquid and solid states, 717
Polyisoprenes, microstructures of, by high-resolution nuclear magnetic resonance, 891
Polymer crystals from solution, a new self-nucleation phenomenon and its application to the growing of, 481
Polymeric films, permeation of, by H_2 and ethane, 417
cis-1,4-Polymerization of 1,3-buta-

diene with alkyl-free cobalt catalyst, 105
Poly(methacrylic acid), conformational transition of, 245
conventional and isotactic, electrophoretic separation of, 549
Polymethacrylonitriles,
NMR spectra of, 669
stereoregularity of, 255
stereoregularity of, obtained by anionic coordinate polymerization, 633
Poly(methyl methacrylate), isotactic and syndiotactic, dilute solution properties of the stereocomplex between, 943
Poly(methyl methacrylate) solutions in θ-solvents, rheological anomalies of, 833
Polyolefins, stress–strain curves of, 497
Polyoxymethylene, stability of helical conformations of, 681
Polyperfluorothioisobutyraldehyde, preparation of, 283
Poly-p-phenylene-1,2,4-oxadiazole from p-cyanobenzonitrile oxide by a solid-state cycloaddition polymerization, 305
Poly(phenylene-1,3,4-oxadiazolyl benzoxazoles), 249
Poly(phenylene oxide), intrinsic viscosities and dimensions of, 939
Poly[2,2-propanebis(4-phenyl carbonate)], photoinitiated rearrangements in, 1
Polypropylene, annealed, fracture-surface morphology of, 453
crystalline isotactic, the γ form of, 127
irradiated, room temperature ESR spectrum of, 503
suspended in acetic acid, cobalt salt-catalyzed autoxidation of, 999
Polypropylene glycols and polyethylene glycols, determination of molecular weights of, by hydroxyl endgroup analysis, 837
Poly(pyromellitamic acids), 601
Polyquinazolinediones, aromatic, 11
Polyquinoxalines, ladder, 39, 665
Polystyrene, free volume of, 375
isotactic, crystallization of, from toluene solution, 407
and poly-α-methylstyrene, photoelastic behavior of, 929
in solution, photodegradation of, 771
in solution, study of the transition of by infrared spectroscopy, 155
Polystyrene-grafted cellulose films, osmotic membranes from, 899
Poly(trimethylene oxide), chain dimensions and dipole moments of, 825
Poly(vinyl acetate), NMR study of the tacticity of, 65
Poly(vinyl alcohols), highly stereoregular, preparation and some properties of, 59
Poly(vinyl chloride), modified, differential thermal analysis of, 875
Poly(vinyl chloride) and poly(vinylidene chloride), head-to-head, 119
thermal degradation of, 115
Poly(vinyl chloride–vinyl acetate) copolymer, spin-decoupled high resolution NMR study of the tacticity of, 695
Poly(vinyl formal) and its model compounds, NMR spectra of, 787

Poly(vinylidene chloride), molecular conformation of, 821
Poly-p-xylylene, morphology of, 531
β-Propiolactone and styrene, cross-propagation reaction in the cationic copolymerization of, 241
Propiolonitrile polymerization with Ziegler-Natta catalysts, preparation of trimellitonitrile and polypropiolonitrile by, 985
Propylene–ethylene copolymers, intramolecular hydrogen transfer in the pyrolysis of (erratum), 79
Propylene polymerization with active $TiCl_3$, deactivation phenomenon, 199
PTFE backbone, synthesis and some properties of cationic membranes grafted onto, 547
Pyrolysis of ethylene–propylene copolymers, intramolecular hydrogen transfer in (erratum), 79
Radiation crosslinking of a trans-1,4-polyisoprene in the liquid and solid states, 717
Radiation damage in isotactic polybutene-1, effect of structure on, 337
Radiation-induced polymerization, of ethylene, 733
of maleimide, 387
of nitroethylene, ESR study on, 629
Radical, long-lived, in an AIBN-initiated ethylene polymerization, behavior of, 585
Radical polymerization, coordinated, of butadiene catalyzed by rhodium nitrate in ethanol, 1003
Radioassay of tritium- and ^{14}C-labeled polymer, 31
Reaction products between trialkylaluminum and acid amide, isolation and polymerization activities of, 727
Reactivity in free-radical copolymerization, 527
β-Relaxation in polychlorotrifluoroethylene, 639
Resins, phenol–formaldehyde, identification of, by gas chromatographic analysis of their pyrolysis products, 567
polyethylene, melting points of, 147
Ring-opening polymerization of 2-substituted 2-oxalines, 441
Rubber, natural, oxidation, scission efficiency in, 27
Rubber latices, osmium tetroxide fixation of, 35
Salt effect in base-catalyzed polymerization of p-vinylbenzamide, 921
Scission efficiency in natural rubber oxidation, 27
Self-nucleation phenomenon and its application to the growing of polymer crystals from solution, 481
Separation of stereoisomers of methyl 2,4,6-heptanetricarboxylate (erratum), 231
Solid-state cycloaddition polymerization of poly-p-phenylene-1,2,4-oxadiazole from p-cyanobenzonitrile, 305
Solid-state polymerization of trithiane, 995
Solution behavior of graft copolymers, 293
Solvolysis rate of an anionic ester, effect of strongly ionizing polycation on, 609
Starch, graft copolymers of, copolymerization of gelatinized wheat starch with acrylonitrile, 765
Stereocomplex between isotactic

and syndiotactic poly(methyl methacrylate), dilute solution properties of, 943
Stereoisomeric 2,4,6-triacetoxyheptane and 2,4,6-heptanetriol, 581
Stereoisomers, of 2,4-disubstituted pentanes, separation of, by fractionation, 573
of methyl 2,4,6-heptanetricarboxylate, separation of (erratum), 231
of 2,4,6-trichloroheptane, 577
of 2,4,6-triphenylheptane, separation and characterization of, 645
Stereoregularity, of polyacrylonitrile and an analysis of the NMR spectra of its model compounds, 487
of polymethacrylonitrile, 255
of polymethacrylonitriles obtained by anionic coordinate polymerization, 633
Stereosequence distributions from anionic polymerizations, 1029
Stereospecific polymerization of methacrylonitrile, 673
Stress–strain curves of some polyolefins and their behavior in environmental stress-crack tests, 497
Styrene, anionic polymerization with "living" polystyrene, 223
and methyl methacrylate, copolymerization of, with metallic lithium, 809
polymerization of, by irradiation with short pulses of fast electrons, 277
Styrene/divinylbenzene bead copolymers, kinetic evidence for diffusion control of the sulfonation of, 981
Sulfonation of styrene/divinylbenzene bead copolymers, kinetic evidence for diffusion control of, 981
Sulfur dioxide, vinyl polymerization initiated by, 519
Sulfur dioxide (liquid)–pyridine (or its derivatives) complex as initiators of polymerization in the presence of an organic halogen compound, 815
Swelling of networks, unperturbed chain dimensions from, with application to cellulose acetate, 131
Sydnone dipole, 329
Synthesis, of alternating copolymers of vinyl alcohol, 187
organic, by means of noble metal compounds, copolymerization of carbon monoxide and norbornadiene (erratum), 79
Tactic structures in polymers, NMR line ordering and multiplicity owing to, 853
Tertiary hydrogen in polyacrylonitrile, isotopic exchange reactions accompanied by acid and base hydrolyses, 393
Tetraethyllead and multivalent metal salts in the polymerization of vinyl chloride, 151
Tetrahydrofuran, initiation process in polymerization of, with carbonium salts, 427
Tetravalent and trivalent titanium sites of Ziegler-catalyst systems, independent determination of polymer growth on, 193
Thermal behavior of acrylonitrile polymers, decomposition of polyacrylonitrile between 250 and 325°C., 361
Thermal decomposition of chlorosulfonated polyethylenes, characterization of, by thermal analysis, 215

Thermal degradation of head-to-head poly(vinyl chloride) and poly(vinylidene chloride), 115
Thermally stable ordered amide–heterocycle copolymers, 267
Thermal stability and glass transition of organotin polyesters, 933
Tip-growth of bacterial cellulose microfibrils and its relation to the crystallographic fine structure of cellulose, 747
Titanium sites, tetravalent and trivalent, of Ziegler-catalyst systems, independent determination of polymer growth on, 193
Transition of polystyrene in solution, study of, by infrared spectroscopy, 155
2,4,6-Triacetoxyheptane and 2,4,6-heptanetriol, stereoisomeric, 581
Trialkylaluminum and acid amide, isolation and polymerization activities of the reaction products between, 727
s-Triazine ring, polymers containing, polyaddition reaction of benzoguanamine and 2-phenyl-4,6-dihydroxy-s-triazine with diisocyanates, 775
2,4,6-Trichloroheptane, stereoisomers of, 577
Trimellitonitrile and polypropiolonitrile by the polymerization of propiolonitrile with Ziegler-Natta catalysts, 985
2,4,6-Triphenylheptane, separation and characterization of stereoisomers of, 645
Trithiane, solid-state polymerization of, 995
Tritium- and ^{14}C-labeled polymer, radioassay of, 31
Unperturbed chain dimensions from the swelling of networks, with an application to cellulose acetate, 131
Vanadium trichloride, effect of electron donors on the reduction of by organoaluminum compounds, 309
"Vat" polymer, poly-5,5′-biisatyl-[thiophene]-indophenine, synthesis of, 1023
Vibration potentials, polyelectrolyte, 947
Vinyl alcohol, synthesis of alternating copolymers of, 187
p-Vinylbenzamide, salt effect in base-catalyzed polymerization of, 921
N-Vinylcarbazole polymerization, initiation with p-chloranil, 261
Vinyl chloride polymerization by tetraethyllead and multivalent metal salts, 151
N-Vinylindole and N-vinylpyrrole, polymerization of, with organic electron acceptors, 623
Vinyl maleopimarate acid anhydride, preparation of homopolymers and copolymers of, 431
Vinyl monomers, a correlation between Alfrey-Price Q values and ultraviolet spectra of, 81
Vinyl polymerization, anionic initiation by dimsylsodium in aprotic solvents, 343
initiated by sulfur dioxide, 519
4-Vinylpyridine, electrochemical polymerization of, in liquid ammonia, 797
Viscosity of aqueous polyelectrolytes, 137
Viscosity–molecular weight relationship for polydimethylsiloxane, 317
Vulcanizates, low-sulfur natural rubber, oxidation stability of, 905
Ziegler-catalyst systems, inde-

pendent determination of polymer growth on tetravalent and trivalent titanium sites of, 193
Ziegler polymerization of olefins, nature of the sites, 913
Z-N catalysts, results from studies of the reaction of, 661